

What is claimed is:

1. A method of mapping information to a virtual space, the method comprising,
employing a first plurality of data objects contained within a first data source,
employing a first spatial paradigm for defining a first plurality of hierarchical
relationships between said first plurality of data objects, and
virtually locating said first plurality of data objects in a first portion of said virtual
space through which a user can navigate in a substantially unrestricted fashion.
2. The method of claim 1 further comprising associating a first address with said first
portion of said virtual display space.
3. The method of claim 2 further comprising displaying a subset of said first plurality of
said data objects to said user in response to receiving said first address.
4. The method of claim 2 wherein said step of associating further comprises,
associating a first portion of said first address with a server, and
associating a second portion of said first address with said first plurality of
hierarchical relationships.
5. The method of claim 4 wherein said server is at least one of a virtual server, a physical
server, an Internet server, an intranet server and a remote server.

1 6. The method of claim 1 further comprising enabling a user to view from an adjustable
2 viewing perspective an appearance of a subset of said first plurality of data objects.

1 7. The method of claim 6 further comprising enabling said user to navigate said data
2 objects in a substantially and unrestricted fashion.

1 8. The method of claim 1 further comprising,
2 employing a second plurality of data objects contained within a second data
3 source,
4 employing a second spatial paradigm for defining a second plurality of
5 hierarchical relationships between said second plurality of data objects, and
6 virtually locating said second plurality of data objects in a second portion of said
7 virtual space.

1 9. The method of claim 8 further comprising defining a hierarchical relationship in said
2 virtual space between said first plurality of hierarchical relationships and said second
3 plurality of hierarchical relationships

1 10. The method of claim 8 further comprising associating a second address with said
2 second position of said virtual space.

1 11. The method of claim 10 further comprising enabling a user to display from an
2 adjustable viewing perspective an appearance of a subset of any of said first and said
3 second plurality of data objects.

1 12. The method of claim 1 further comprising leasing portions of said virtual space.

1 13. The method of claim 1 further comprising selling portions of said virtual space.

1 14. The method of claim 2 wherein said first address is associated with a universal
2 resource locator ("URL").

1 15. A system for mapping information to a virtual display space, the system comprising,
2 a computing device adapted to employ a first plurality of data objects contained
3 within a first data source, and a first spatial paradigm for defining a first plurality of
4 hierarchical relationships between said first plurality of data objects, and to virtually
5 locate said first plurality of data objects in a first portion of said virtual space through
6 which a user can navigate in a substantially unrestricted fashion.

1 16. The system of claim 15 further adapted to associate a first address with said first
2 portion of said virtual display space.

1 17. The system of claim 16 further adapted to displaying a subset of said first plurality of
2 said data objects to said user in response to receiving said first address.

1 18. The system of claim 16 further adapted to associate a first portion of said first
2 address with a server, and to associate a second portion of said first address with said first
3 plurality of hierarchical relationships.

1 19. The system of claim 18 wherein said server is at least one of a virtual server, a
2 physical server, an Internet server, an intranet server and a remote server.

1 20. The system of claim 15 further adapted to enable a user to view from an adjustable
2 viewing perspective an appearance of a subset of said first plurality of data objects.

1 21. The system of claim 20 further adapted to enable said user to navigate said data
2 objects in a substantially and unrestricted fashion.

1 22. The system of claim 15 further adapted to employ a second plurality of data objects
2 contained within a second data source and a second spatial paradigm for defining a
3 second plurality of hierarchical relationships between said second plurality of data
4 objects, and to virtually locate said second plurality of data objects in a second portion of
5 said virtual space.

1 23. The system of claim 22 further adapted to define a hierarchical relationship in said
2 virtual space between said first plurality of hierarchical relationships and said second
3 plurality of hierarchical relationships.

1 24. The system of claim 22 further adapted to associate a second address with said
2 second position of said virtual space.

1 25. The system of claim 24 further adapted to enable a user to display from an adjustable
2 viewing perspective an appearance of a subset of any of said first and said second
3 plurality of data objects.

1 26. The system of claim 15 further adapted to lease portions of said virtual space.

1 27. The system of claim 15 further adapted to sell portions of said virtual space.

1 28. The system of claim 15 wherein said first address is associated with a universal
2 resource locator ("URL").

1 29. A method of mapping information to a virtual space, the method comprising,
2 employing a data object contained within a data source, and
3 virtually locating said data object in a first portion of said virtual space through
4 which a user can navigate in a substantially unrestricted fashion.